## ATTACHMENT 2: SEASONAL HABITAT OBJECTIVES FOR GUNNISON SAGE-GROUSE

Attribute	Indicators	Suitable <sup>1</sup>	Marginal	Unsuitable			
Breeding an	d Nesting (seasonal use	period March 1 – June 3	30) <sup>1</sup>				
Apply 4 miles from all leks (active, inactive, unknown, historic)							
Lek	Proximity of trees	Trees or other tall					
Security		structures are none					
		to uncommon within					
		1.86 miles of leks					
	Proximity of	Adjacent protective					
	sagebrush to leks	sagebrush cover					
		within 328 feet of lek					
Cover and	Sagebrush canopy cove						
Food	Arid sites	15 to 40%	5 to 15% or > 40%	< 5%			
	Mesic sites	10 to 35%	5 to 10% or > 35%	< 5%			
	Total shrub canopy cover						
	Arid sites	20 to 40%	5 to 20% or > 40%	< 5%			
	Mesic sites	15 to 35%	5 to 15% or > 35%	< 5%			
	Sagebrush height						
	Arid sites	25 to 50 cm	20 to < 25 cm or > 50 cm	< 20			
	Mesic sites	30 to 50 cm	20 to < 30 cm or > 50 cm	< 20			
	Predominant sagebrush shape						
	All sites	majority spreading	Mix of spreading and	majority			
			columnar	columnar			
	Perennial grass canopy cover						
	Arid sites	≥ 10%	5 to < 10%	< 5%			
	Mesic sites	≥ 20%	5 to < 20%	< 5%			
	Perennial forb canopy cover						
	Arid sites	≥ 5%	3 to < 5%	< 3%			
	Mesic sites	≥ 20%	5 to < 20%	< 5%			
	Perennial grass and forb height						
	All sites	≥ 10 cm	5 to < 10 cm	< 5 cm			
	Preferred forb availability						
	All sites	Common, > 5 species	Rare, < 5 species	Scarce			
Brood-rearing	ng/Summer (seasonal use period July 1 – October 31) <sup>1</sup>						
Cover and	Sagebrush canopy cover						
Food	Arid sites	5 to 30%	> 30%	< 5%			
	Mesic sites	5 to 35%	> 35%	< 5%			
	Total shrub canopy cover						
	Arid sites	10 to 30%	5 to 10% or > 30%	< 5%			
	Mesic sites	10 to 35%	5 to 10% or > 35%	< 5%			
	Sagebrush height						
	Arid sites	20 to 40 cm	> 40 cm	< 20 cm			
	Mesic sites	25 to 50 cm	20 to < 25 cm	< 20 cm			
	Perennial grass and forb height						
	All sites	≥ 10 cm	5 to < 10 cm	< 5 cm			
	Perennial grass canopy cover						

	All sites	≥ 10%	5 to < 10%	< 5%		
	Perennial forb canopy cover					
	Arid sites	≥ 5%	N/A	< 5%		
	Mesic sites	≥ 15%	5 to < 15%	< 5%		
	Preferred forb availability					
	All sites	Common, > 5 species	Rare, < 5 species	Scarce		
Winter (seasonal use period November 1 – February 28) <sup>1</sup>						
Cover and	Sagebrush canopy	≥ 30 to ≤ 40%	5 to < 30% or > 40%	< 5%		
Food	cover					
	Sagebrush height	≥ 40 cm	> 20 cm to < 40 cm	≤ 20 cm		

<sup>&</sup>lt;sup>1</sup>Seasonal dates and suitable habitat indicators were derived from the 2005 Rangewide Conservation Plan (Gunnison Sage-Grouse Rangewide Steering Committee 2005).