

**South Egan Range Wilderness**  
Legal Boundary Description

The boundary of the South Egan Range Wilderness established in the "White Pine County Conservation, Recreation, and Development Act of 2006", Public Law No. 109-432, dated December 20, 2006, Bureau of Land Management serial No. N-83917, located in Townships 8, 9, 10, 11, and 12 North, Ranges 62 and 63 East, Mount Diablo Meridian, White Pine County, Lincoln County and Nye County, in the state of Nevada, is more particularly described as follows:

1. BEGINNING at the center one-quarter section corner of section 17, T. 11 N., R. 63 E.; thence westerly, a distance of approximately 0.5 miles, on the east and west center line of section 17, to the one-quarter section corner of sections 17 and 18;
2. thence southerly, a distance of approximately 0.25 miles, on the line between sections 17 and 18, T. 11 N., R. 63 E., to the south one-sixteenth section corner of sections 17 and 18;
3. thence easterly, a distance of approximately 0.5 miles, on the east and west center line of the southwest one-quarter of section 17, T. 11 N., R. 63 E., to the center south one-sixteenth section corner of section 17;
4. thence southeasterly, a distance of approximately 0.15 miles, to the base of right bank of a wash, course southwesterly, at approximate latitude 38°48'35" North, longitude 114°54'59" West;
5. thence southwesterly turning southeasterly, a distance of approximately 0.85 miles, with the meanders of the base of right bank of the wash, course southwesterly and southeasterly to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northwesterly of the northwesterly edge of a jeep trail, bears northeasterly and southwesterly, at observed latitude 38°48'02.141" North, longitude 114°54'48.281" West;
6. thence southwesterly, a distance of approximately 0.45 miles, on a line parallel with and 100 feet northwesterly of the northwesterly edge of the jeep trail to intersection with a line parallel with and 100 feet northeasterly of the northeasterly edge of a second jeep trail, bears northwesterly and southeasterly, at approximate latitude 38°47'45.9" North, longitude 114°55'08.1" West;
7. thence northwesterly, a distance of approximately 0.1 mile, on a line parallel with and 100 feet northeasterly of the northeasterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°47'49.340" North, longitude 114°55'12.284" West;

8. thence S.  $46^{\circ}21'20''$  W., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southwesterly of the southwesterly edge of the jeep trail, at observed latitude  $38^{\circ}47'47.908''$  North, longitude  $114^{\circ}55'14.202''$  West;
9. thence southeasterly, a distance of approximately 0.1 mile, on a line parallel with and 100 feet southwesterly of the southwesterly edge of the jeep trail to intersection with a line parallel with and 100 feet northwesterly of the northwesterly edge of aforementioned jeep trail, described in course No. 6, bears northeasterly and southwesterly, at approximate latitude  $38^{\circ}47'44.0''$  North, longitude  $114^{\circ}55'09.4''$  West;
10. thence southwesterly, a distance of approximately 1.45 miles, on a line parallel with and 100 feet northwesterly of the northwesterly edge of the jeep trail to intersection with a line parallel with and 100 feet northerly of the northerly edge of a second jeep trail, bears easterly and westerly, at approximate latitude  $38^{\circ}46'51.7''$  North, longitude  $114^{\circ}55'57.2''$  West;
11. thence westerly, a distance of approximately 0.3 miles, on a line parallel with and 100 feet northerly of the northerly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude  $38^{\circ}46'47.742''$  North, longitude  $114^{\circ}56'16.587''$  West;
12. thence S.  $25^{\circ}46'00''$  E., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southerly of the southerly edge of the jeep trail, at observed latitude  $38^{\circ}46'45.874''$  North, longitude  $114^{\circ}56'15.435''$  West;
13. thence easterly, a distance of approximately 0.25 miles, on a line parallel with and 100 feet southerly of the southerly edge of the jeep trail to intersection with a line parallel with and 100 feet westerly of the westerly edge of aforementioned jeep trail, described in course No. 10, bears northeasterly and southerly, at approximate latitude  $38^{\circ}46'49.2''$  North, longitude  $114^{\circ}55'58.3''$  West;
14. thence southerly, a distance of approximately 0.2 miles, on a line parallel with and 100 feet westerly of the westerly edge of the jeep trail to a point on said line, at approximate latitude  $38^{\circ}46'39.16''$  North, longitude  $114^{\circ}56'04.45''$  West;

15. thence southerly, a distance of approximately 0.3 miles, to a point, at approximate latitude 38°46'23.47" North, longitude 114°56'03.36" West;
16. thence southeasterly, a distance of approximately 0.45 miles, to a point, at approximate latitude 38°46'04.0" North, longitude 114°55'49.2" West;
17. thence southwesterly, a distance of approximately 0.15 miles, to a knoll, at approximate elevation of 8,281 feet and approximate latitude 38°45'58" North, longitude 114°55'54" West;
18. thence southwesterly, a distance of approximately 0.6 miles, along the summit of a spur, slopes southerly and southwesterly, to a point on the spur, at approximate latitude 38°45'33" North, longitude 114°56'13" West;
19. thence southeasterly, a distance of approximately 0.3 miles, to a point, at approximate latitude 38°45'23.54" North, longitude 114°55'58.95" West;
20. thence southwesterly, a distance of approximately 0.75 miles, to a point, at approximate latitude 38°44'47.38" North, longitude 114°56'17.81" West;
21. thence southeasterly, a distance of approximately 0.65 miles, to a point, at approximate latitude 38°44'18.42" North, longitude 114°55'57.61" West;
22. thence southerly, a distance of approximately 0.45 miles, to a point, at approximate latitude 38°43'55.52" North, longitude 114°55'51.37" West;
23. thence southwesterly, a distance of approximately 0.2 miles, to a point, at approximate latitude 38°43'49.80" North, longitude 114°56'02.87" West;
24. thence southwesterly, a distance of approximately 0.5 miles, to a point, at approximate latitude 38°43'25.90" North, longitude 114°56'14.19" West;
25. thence southerly, a distance of approximately 0.45 mile, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northerly of the northerly edge of a jeep trail, bears easterly and westerly, at observed latitude 38°43'02.450" North, longitude 114°56'21.333" West;
26. thence S. 11°15'40" E., a distance of 205.3 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southerly of

- the southerly edge of the jeep trail, at observed latitude 38°43'00.460" North, longitude 114°56'20.827" West;
27. thence easterly turning northerly, a distance of approximately 0.4 miles, on a line parallel with and 100 feet southerly and easterly of the southerly and easterly edge of the jeep trail to intersection with the line between sections 17 and 20, T. 10 N., R. 63 E., at approximate latitude 38°43'12" North, longitude 114°56'03" West;
  28. thence easterly, a distance of approximately 0.25 miles, on the line between sections 17 and 20, T. 10 N., R. 63 E., to the west one-sixteenth section corner of sections 17 and 20;
  29. thence southerly, a distance of approximately 0.25 miles, on the north and south center line of the northwest one-quarter of section 20, T. 10 N., R. 63 E., to the northwest one-sixteenth section corner of section 20;
  30. thence easterly, a distance of approximately 0.25 miles, on the east and west center line of the northwest one-quarter of section 20, T. 10 N., R. 63 E., to the center north one-sixteenth section corner of section 20;
  31. thence easterly, a distance of approximately 0.5 miles, on the east and west center line of the northeast one-quarter of section 20, T. 10 N., R. 63 E., to the north one-sixteenth section corner of section 20 and 21;
  32. thence northerly, a distance of approximately 0.25 miles, on the line between sections 20 and 21, T. 10 N., R. 63 E., to the corner of sections 16, 17, 20, and 21;
  33. thence easterly, a distance of approximately 0.35 miles, on the line between sections 16 and 21, T. 10 N., R. 63 E., to the intersection with a line parallel with and 100 feet westerly of the westerly edge of an unimproved road, bears northerly and southerly, at approximate latitude 38°43'10.0" North, longitude 114°54'34.8" West;
  34. thence southerly, a distance of approximately 2.0 miles, on a line parallel with and 100 feet westerly of the westerly edge of the unimproved road to intersection with the east and west center line of the southwest one-quarter of section 28, T. 10 N., R. 63 E., at approximate latitude 38°41'36" North, longitude 114°54'35" West;
  35. thence westerly, a distance of approximately 0.35 miles, on the east and west center line of the southwest one-quarter of section 28, T. 10 N., R. 63 E., to the south one-sixteenth section corner of sections 28 and 29;
  36. thence southerly, a distance of approximately 0.25 miles, on the line between sections 28 and 29, T. 10 N., R. 63 E., to the corner of sections 28, 29, 32, and 33;

37. thence westerly, a distance of approximately 0.25 miles, on the line between sections 29 and 32, T. 10 N., R. 63 E., to the east one-sixteenth section corner of sections 29 and 32;
38. thence southerly, a distance of approximately 0.5 miles, on the north and south center line of the northeast one-quarter of section 32, T. 10 N., R. 63 E., to the center-east, one-sixteenth section corner of section 32;
39. thence westerly, a distance of approximately 0.25 miles, on the east and west center line of section 32, T. 10 N., R. 63 E., to the center one-quarter section corner of section 32;
40. thence southerly, a distance of approximately 0.25 miles, on the north and south center line of section 32, T. 10 N., R. 63 E., to the center-south, one-sixteenth section corner of sections 32;
41. thence westerly, a distance of approximately 0.5 miles, on the east and west center line of the southwest one-quarter of section 32, T. 10 N., R. 63 E., to the south one-sixteenth section corner of sections 31 and 32;
42. thence southerly, a distance of approximately 0.25 miles, on the line between sections 31 and 32, T. 10 N., R. 63 E., to the corner of sections 5, 6, 31, and 32, on the south boundary of T. 10 N., R. 63 E.;
43. thence southerly, a distance of approximately 0.25 miles, on the line between sections 5 and 6, T. 9 N., R. 63 E., to the north one-sixteenth section corner of sections 5 and 6;
44. thence westerly, a distance of approximately 0.2 miles, on the east and west center line of the northeast one-quarter of section 6, T. 9 N., R. 63 E., to a point on said line, at approximate latitude 38°40'19" North, longitude 114°56'17.5" West;
45. thence northwesterly, a distance of approximately 475 feet, to a point, at approximate latitude 38°40'21.68" North, longitude 114°56'21.91" West;
46. thence westerly, a distance of approximately 0.55 miles, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at observed latitude 38°40'26.449" North, longitude 114°56'57.543" West;
47. thence S. 2°34'20" E., a distance 301.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 18 inches in the ground over a plastic-encased magnet, and in a mound of stone, 4 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at observed latitude 38°40'23.478" North, longitude 114°56'57.373" West;

48. thence easterly, a distance of approximately 0.55 miles, to the northeast one-sixteenth section corner of section 6, T. 9 N., R. 63 E.;
49. thence southerly, a distance of approximately 0.25 miles, on the north and south center line of the northeast one-quarter of section 6, T. 9 N., R. 63 E., to the center-east, one-sixteenth section corner of section 6;
50. thence southerly, a distance of approximately 250 feet, on the north and south center line of the southeast one-quarter of section 6, T. 9 N., R. 63 E., to intersection with a line parallel with and 100 feet northwesterly of the northwesterly edge of a jeep trail, bears northeasterly and southwesterly, at approximate latitude  $38^{\circ}40'03''$  North, longitude  $114^{\circ}56'22''$  West;
51. thence southwesterly, a distance of approximately 3.5 miles, on a line parallel with and 100 feet northwesterly of the northwesterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude  $38^{\circ}37'35.507''$  North, longitude  $114^{\circ}58'20.404''$  West;
52. thence S.  $73^{\circ}22'30''$  E., a distance of 210.9 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southeasterly of the southeasterly edge of the jeep trail, at observed latitude  $38^{\circ}37'34.911''$  North, longitude  $114^{\circ}58'17.859''$  West;
53. thence northeasterly, a distance of approximately 3.5 miles, on a line parallel with and 100 feet southeasterly of the southeasterly edge of the jeep trail to intersection with the north and south center line of the southeast one-quarter of section 6, T. 9 N., R. 63 E., at approximate latitude  $38^{\circ}39'59''$  North, longitude  $114^{\circ}56'22''$  West;
54. thence southerly, a distance of approximately 0.15 mile, on the north and south center line of the southeast one-quarter of section 6, T. 9 N., R. 63 E., to the southeast one-sixteenth section corner of section 6;
55. thence easterly, a distance of approximately 0.25 miles, on the east and west center line of the southeast one-quarter of section 6, T. 9 N., R. 63 E., to the south one-sixteenth section corner of sections 5 and 6;
56. thence northerly, a distance of approximately 0.25 miles, on the line between sections 5 and 6, T. 9 N., R. 63 E., to the one-quarter section corner of sections 5 and 6;

57. thence easterly, a distance of approximately 0.25 miles, on the east and west center line of section 5, T. 9 N., R. 63 E., to the center-west, one-sixteenth section corner of section 5;
58. thence northerly, a distance of approximately 0.25 miles, on the north and south center line of the northwest one-quarter of section 5, T. 9 N., R. 63 E., to the northwest one-sixteenth section corner of section 5;
59. thence easterly, a distance of approximately 0.25 miles, on the east and west center line of the northwest one-quarter of section 5, T. 9 N., R. 63 E., to the center-north, one-sixteenth section corner of section 5;
60. thence northerly, a distance of approximately 0.25 miles, on the north and south center line of section 5, T. 9 N., R. 63 E., to the one-quarter section corner of sections 5 and 32 on the north boundary of T. 9 N., R. 63 E.;
61. thence easterly, a distance of approximately 0.5 miles, on the line between sections 5 and 32, on the north boundary of T. 9 N., R. 63 E., to the corner of sections 4, 5, 32, and 33;
62. thence northerly, a distance of approximately 0.2 miles, on the line between sections 32 and 33, T. 10 N., R. 63 E., to the intersection of a line parallel with and 100 feet southerly of the southerly edge of an unimproved road, bears easterly and westerly, at approximate latitude  $38^{\circ}40'41''$  North, longitude  $114^{\circ}54'59''$  West;
63. thence easterly, a distance of approximately 0.45 miles, on a line parallel with and 100 feet southerly of the southerly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude  $38^{\circ}40'41.376''$  North, longitude  $114^{\circ}54'31.727''$  West;
64. thence southerly, a distance of approximately 0.25 miles, to the one-quarter section corner of sections 4 and 33, on the north boundary of T. 9 N., R. 63 E.;
65. thence southerly, a distance of approximately 0.5 miles, on the north and south center line of section 4, T. 9 N., R. 63 E., to the center one-quarter section corner of section 4;
66. thence southerly, a distance of approximately 0.25 miles, on the north and south center line of section 4, T. 9 N., R. 63 E., to the center-south, one-sixteenth section corner of section 4;
67. thence easterly, a distance of approximately 0.5 miles, on the east and west center line of the southeast one-quarter of section 4, T. 9 N., R. 63 E., to the south one-sixteenth section corner of sections 3 and 4;

68. thence southerly, a distance of approximately 0.25 miles, on the line between sections 3 and 4, T. 9 N., R. 63 E., to the corner of sections 3, 4, 9, and 10;
69. thence easterly, a distance of approximately 0.35 miles, on the line between sections 3 and 10, T. 9 N., R. 63 E., to a point on said line, at approximate latitude  $38^{\circ}39'34''$  North, longitude  $114^{\circ}53'29.6''$  West;
70. thence southeasterly, a distance of approximately 0.15 miles, to intersection with the north and south center line of section 10, T. 9 N., R. 63 E., at approximate latitude  $38^{\circ}39'27.7''$  North, longitude  $114^{\circ}53'21''$  West;
71. thence southerly, a distance of approximately 0.15 miles, on the north and south center line of section 10, T. 9 N., R. 63 E., to the center-north, one-sixteenth section corner of section 10;
72. thence southerly, a distance of approximately 0.15 miles, on the north and south center line of section 10, T. 9 N., R. 63 E., to intersection with a line parallel with and 100 feet northwesterly of the northwesterly edge of an unimproved road, bears northeasterly and southwesterly, at approximate latitude  $38^{\circ}39'14''$  North, longitude  $114^{\circ}53'21''$  West;
73. thence southwesterly, a distance of approximately 1.5 miles, on a line parallel with and 100 feet northwesterly of the northwesterly edge of the unimproved road to intersection with a line parallel with and 100 feet northerly of the northerly edge of a jeep trail, bears easterly and westerly, at approximate latitude  $38^{\circ}38'06.4''$  North, longitude  $114^{\circ}54'03.8''$  West;
74. thence westerly, a distance of approximately 1.45 miles, on a line parallel with and 100 feet northerly of the northerly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude  $38^{\circ}38'11.373''$  North, longitude  $114^{\circ}55'32.399''$  West;
75. thence S.  $35^{\circ}33'00''$  W., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southerly of the southerly edge of the jeep trail, at observed latitude  $38^{\circ}38'09.684''$  North, longitude  $114^{\circ}55'33.938''$  West;
76. thence easterly, a distance of approximately 1.5 miles, on a line parallel with and 100 feet southerly of the southerly edge of the jeep trail to intersection with a line parallel with and 100 feet southwesterly of the southwesterly edge of aforementioned unimproved road, described in course No. 73, bears northerly and southerly, at approximate latitude  $38^{\circ}38'04.3''$  North, longitude  $114^{\circ}54'03.0''$  West;



77. thence southerly turning southwesterly and southeasterly, a distance of approximately 2.8 miles, on a line parallel with and 100 feet westerly and southwesterly of the westerly and southwesterly edge of the unimproved road to intersection with the line between sections 28 and 33, T. 9 N., R. 63 E., at approximate latitude  $38^{\circ}36'07''$  North, longitude  $114^{\circ}54'46''$  West;
78. thence westerly, a distance of approximately 0.2 miles, on the line between sections 28 and 33, T. 9 N., R. 63 E., to the corner of sections 28, 29, 32, and 33;
79. thence southerly, a distance of approximately 0.15 miles, on the line between sections 32 and 33, T. 9 N., R. 63 E., to a point on said line, at approximate latitude  $38^{\circ}35'58.1''$  North, longitude  $114^{\circ}55'00''$  West;
80. thence southwesterly, a distance of approximately 450 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 18 inches in the ground over a plastic-encased magnet, to solid rock, and in a mound of stone, 3 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary at intersection with a line parallel with and 100 feet southwesterly of the southwesterly edge of an unimproved road, bears northwesterly and southeasterly, at observed latitude  $38^{\circ}35'55.417''$  North, longitude  $114^{\circ}55'04.054''$  West;
81. thence southeasterly turning easterly, a distance of approximately 0.15 miles, on a line parallel with and 100 feet southwesterly and southerly of the southwesterly and southerly edge of the unimproved road to intersection with a line parallel with and 100 feet southwesterly of the southwesterly edge of a second unimproved road, bears northwesterly and southeasterly, at approximate latitude  $38^{\circ}35'52.5''$  North, longitude  $114^{\circ}54'55.0''$  West;
82. thence southeasterly turning southerly, a distance of approximately 2.5 miles, on a line parallel with and 100 feet southwesterly and westerly of the southwesterly and westerly edge of the unimproved road to intersection with a line parallel with and 100 feet northwesterly of the northwesterly edge of a second improved road, bears northeasterly and southwesterly, at approximate latitude  $38^{\circ}33'55.5''$  North, longitude  $114^{\circ}54'45.5''$  West;
83. thence southwesterly turning northwesterly, a distance of approximately 4.4 miles, on a line parallel with and 100 feet northwesterly and northeasterly of the northwesterly and northeasterly edge of the improved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 15 inches in the ground over a plastic-encased magnet, to solid rock, and in a mound of stone, 3 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude  $38^{\circ}32'17.582''$  North, longitude  $114^{\circ}58'11.279''$  West;

84. thence N.  $10^{\circ}18'50''$  W., a distance of 6,405.5 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southerly of the southerly edge of an unimproved road, bears easterly and southwesterly, at observed latitude  $38^{\circ}33'19.877''$  North, longitude  $114^{\circ}58'25.715''$  West;
85. thence easterly turning northeasterly and southwesterly, a distance of approximately 3.0 miles, on a line parallel with and 100 feet southerly, southeasterly and northwesterly of the southerly, southeasterly and northwesterly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude  $38^{\circ}34'26.914''$  North, longitude  $114^{\circ}56'13.888''$  West;
86. thence S.  $30^{\circ}31'40''$  E., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southeasterly of the southeasterly edge of the unimproved road, at observed latitude  $38^{\circ}34'25.127''$  North, longitude  $114^{\circ}56'12.545''$  West;
87. thence northeasterly turning southwesterly and westerly, a distance of approximately 2.1 miles, on a line parallel with and 100 feet southeasterly, northwesterly, and northerly of the southeasterly, northwesterly, and northerly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2014 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet easterly of the easterly edge of a jeep trail, bears northerly and southerly, at observed latitude  $38^{\circ}33'30.075''$  North, longitude  $114^{\circ}57'35.818''$  West;
88. thence northerly, a distance of approximately 0.65 miles, on a line parallel with and 100 feet easterly of the easterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, in a collar of stone, with brass cap marked SERW N83917 2014 and a line indicating the direction of the boundary, on said line, at observed latitude  $38^{\circ}34'03.464''$  North, longitude  $114^{\circ}57'32.848''$  West;
89. thence northerly, a distance of approximately 0.3 miles, to the base of right bank of a wash, course southwesterly, at approximate latitude  $38^{\circ}34'18''$  North, longitude  $114^{\circ}57'29''$  West;
90. thence westerly turning northwesterly, a distance of approximately 0.5 miles, with the meanders of the base of right bank of the wash, course westerly and northwesterly, to a point

on said right bank, at approximate latitude 38°34'25" North, longitude 114°57'56" West;

91. thence northwesterly, a distance of approximately 100 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 28 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2014 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northerly of the northerly edge of an unimproved road, bears easterly and westerly, at observed latitude 38°34'25.767" North, longitude 114°57'56.325" West;
92. thence westerly, a distance of approximately 0.75 miles, along the northerly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, in a collar of stone, with brass cap marked SERW N83917 2014 and a line indicating the direction of the boundary, on said line, at observed latitude 38°34'25.506" North, longitude 114°58'41.625" West;
93. thence northerly, a distance of approximately 0.2 miles, to a point, at approximate latitude 38°34'36.83" North, longitude 114°58'38.62" West;
94. thence northwesterly, a distance of approximately 1.2 miles, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southeasterly of the southeasterly edge of an unimproved road, bears northeasterly and southwesterly, at observed latitude 38°35'28.669" North, longitude 114°59'20.712" West
95. thence northeasterly, a distance of approximately 0.2 miles, on a line parallel with and 100 feet southeasterly of the southeasterly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southeasterly of a second unimproved road, bears northeasterly and southwesterly, at observed latitude 38°35'36.507" North, longitude 114°59'10.606" West;
96. thence northeasterly, a distance of approximately 350 feet, on a line parallel with and 100 feet southeasterly of the southeasterly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2014 and a line indicating the direction of the boundary, on said line, at observed latitude 38°35'38.962" North, longitude 114°59'07.687" West;
97. thence N. 42°19'40" W., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 26 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of

- the boundary, on said line, at intersection with a line parallel with and 100 feet northwesterly of the northwesterly edge of the unimproved road, at observed latitude 38°35'40.496" North, longitude 114°59'09.467" West;
98. thence southwesterly turning westerly, a distance of approximately 2.0 miles, on a line parallel with and 100 feet northwesterly and northerly of the northwesterly and northerly edge of the unimproved road to intersection with a line parallel with and 100 feet northeasterly of the northeasterly edge of a second unimproved road, bears northwesterly and southeasterly, at approximate latitude 38°35'35.3" North, longitude 115°01'13.0" West;
  99. thence northwesterly, a distance of approximately 2.4 miles, on a line parallel with and 100 feet northeasterly of the northeasterly edge of the unimproved road to intersection with a line parallel with and 100 feet southerly of the southerly edge of a second unimproved road, bears easterly and westerly, at approximate latitude 38°37'15.4" North, longitude 115°02'41.3" West;
  100. thence easterly, a distance of approximately 0.15 mile, on a line parallel with and 100 feet southerly of the southerly edge of the unimproved road to intersection with the line between sections 19 and 20, T. 9 N., R. 62 E., at approximate latitude 38°37'16.1" North, longitude 115°02'33" West;
  101. thence northerly, a distance of approximately 2.3 miles, on the lines between sections 19 and 20, sections 17 and 18, and sections 7 and 8, T. 9 N., R. 62 E., to intersection with a line parallel with and 100 feet southerly of the southerly edge of an unimproved road, bears easterly and westerly, at approximate latitude 38°39'15.0" North, longitude 115°02'33" West;
  102. thence easterly, a distance of approximately 375 feet, on a line parallel with and 100 feet southerly of the southerly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 20 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary at intersection with a line parallel with and 100 feet easterly of the easterly edge of a second unimproved road, bears northerly and southerly, at observed latitude 38°39'15.341" North, longitude 115°02'27.964" West;
  103. thence northerly turning northwesterly, a distance of approximately 0.9 miles, on a line parallel with and 100 feet easterly and northeasterly of the easterly and northeasterly edge of unimproved road to intersection with the line between sections 5 and 6, T. 9 N., R. 62 E., at approximate latitude 38°40'00.7" North, longitude 115°02'33" West;
  104. thence northerly, a distance of approximately 0.35 miles, on the line between sections 5 and 6, T. 9 N., R. 62 E., to intersection with a line parallel with and 100 feet southerly of the southerly edge of an unimproved road, bears easterly and westerly, at

approximate latitude 38°40'19.7" North, longitude 115°02'33" West;

105. thence easterly turning northwesterly, a distance of approximately 0.9 mile, on a line parallel with and 100 feet southerly, and northeasterly of the southerly, and northeasterly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 6 inches in the ground to solid rock, over a plastic-encased magnet, and in a mound of stone, 4 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°40'33.418" North, longitude 115°02'05.616" West;
106. thence N. 34°13'40" W., a distance of 216.5 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet westerly of the westerly edge of the unimproved road, at observed latitude 38°40'35.187" North, longitude 115°02'07.151" West;
107. thence southwesterly turning southeasterly and westerly, a distance of approximately 0.8 miles, on a line parallel with and 100 feet northwesterly, southwesterly, and northerly of the edge of the unimproved road to a point on said line, at approximate latitude 38°40'21.6" North, longitude 115°02'31.2" West;
108. thence northerly, a distance of approximately 0.1 mile, to a point, at approximate latitude 38°40'28.11" North, longitude 115°02'32.38" West;
109. thence easterly, a distance of approximately 0.1 mile, to a point, at approximate latitude 38°40'29.71" North, longitude 115°02'25.35" West;
110. thence northwesterly, a distance of approximately 0.2 miles, to a point, at approximate latitude 38°40'37.91" North, longitude 115°02'34.57" West;
111. thence northeasterly, a distance of approximately 0.35 miles to a point, at approximate latitude 38°40'52.50" North, longitude 115°02'22.00" West;
112. thence northwesterly, a distance of approximately 0.15 miles, to a point, at approximate latitude 38°40'57.38" North, longitude 115°02'31.17" West;
113. thence northerly, a distance of approximately 0.4 miles, to a point, at approximate latitude 38°41'19.12" North, longitude 115°02'31.96" West;
114. thence southeasterly, a distance of approximately 0.35 miles, to a point, at approximate latitude 38°41'10.80" North, longitude 115°02'12.14" West;

115. thence northerly, a distance of approximately 0.8 miles, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at observed latitude 38°41'51.629" North, longitude 115°02'02.432" West;
116. thence N. 54°22'30" E., a distance of 9,625.5 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 6 inches in the ground over a plastic-encased magnet, to solid rock, and in a mound of stone, 4 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northeasterly of the northeasterly edge of an unimproved road, bears northwesterly and southeasterly, at observed latitude 38°42'46.987" North, longitude 115°00'23.645" West;
117. thence northwesterly, a distance of approximately 200 feet, on a line parallel with and 100 feet northeasterly of the northeasterly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet easterly of the easterly edge of a jeep trail, at observed latitude 38°42'48.553" North, longitude 115°00'25.043" West;
118. thence northerly turning easterly, a distance of approximately 0.3 miles, on a line parallel with and 100 feet easterly and southerly of the easterly and southerly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°42'46.387" North, longitude 115°00'07.485" West;
119. thence southerly turning southeasterly, a distance of approximately 4.3 miles, continuing on the line parallel with and 100 feet westerly and southwesterly of the westerly and southwesterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 21 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°40'18.796" North, longitude 114°59'38.637" West;
120. thence N. 12°26'50" E., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northeasterly of the northeasterly edge of the jeep trail, at observed latitude 38°40'20.822" North, longitude 114°59'38.067" West;

121. thence northwesterly turning northerly and easterly, a distance of approximately 1.1 miles, on a line parallel with and 100 feet northeasterly, easterly and southerly of the northeasterly, easterly, and southerly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet westerly of the westerly edge of a second jeep trail, bears northerly and southerly, at observed latitude 38°40'44.975" North, longitude 114°59'59.408" West;
122. thence southerly, a distance of approximately 400 feet, on a line parallel with and 100 feet westerly of the westerly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 18 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°40'41.234" North, longitude 114°59'57.960" West;
123. thence N. 88°57'30" E., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet easterly of the easterly edge of the jeep trail, at observed latitude 38°40'41.272" North, longitude 114°59'55.313" West;
124. thence northerly, a distance of approximately 3.3 miles, on a line parallel with and 100 feet easterly of the easterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southeasterly of the southeasterly edge of a second jeep trail, extending northeasterly, at observed latitude 38°42'46.312" North, longitude 115°00'05.040" West;
125. thence northeasterly, a distance of approximately 0.45 miles, on a line parallel with and 100 feet southeasterly of the southeasterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southerly of the southerly edge of a second jeep trail, bears easterly and westerly, at observed latitude 38°43'03.367" North, longitude 114°59'49.752" West;
126. thence easterly turning northeasterly, a distance of approximately 0.85 miles, on a line parallel with and 100 feet southerly and southeasterly of the southerly and southeasterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013

- and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southwesterly of the southwesterly edge of a second jeep trail, bears northwesterly and southeasterly, at observed latitude 38°43'27.938" North, longitude 114°59'12.528" West;
127. thence southeasterly turning northeasterly, a distance of approximately 3.7 miles, on a line parallel with and 100 feet southwesterly and southeasterly of the southwesterly and southeasterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°41'37.568" North, longitude 114°57'25.545" West;
128. thence N. 32°35'50" W., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northwesterly of the northwesterly edge of the jeep trail, at observed latitude 38°41'39.311" North, longitude 114°57'26.967" West;
129. thence southwesterly turning northwesterly, a distance of approximately 2.5 miles, on a line parallel with and 100 feet northwesterly and northeasterly of the northwesterly and northeasterly edge of the jeep trail to a brass tablet, 3 1/4 inch diameter, 3 1/2 inch stem, cemented in a drill hole of solid rock, with top marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southwesterly of the southwesterly edge of a second jeep trail, bears northwesterly and southeasterly, at observed latitude 38°42'45.238" North, longitude 114°58'25.356" West;
130. thence southeasterly turning easterly, a distance of approximately 1.3 miles, on a line parallel with and 100 feet southwesterly and southerly of the southwesterly and southerly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°42'39.868" North, longitude 114°57'08.831" West;
131. thence N. 4°55'00" E., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northerly of the northerly edge of the jeep trail, at observed latitude 38°42'41.936" North, longitude 114°57'08.604" West;



132. thence westerly turning northwesterly, a distance of approximately 1.3 miles, on a line parallel with and 100 feet northerly and northeasterly of the northerly and northeasterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 20 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northeasterly of the northeasterly edge of the aforementioned jeep trail, described in course No. 129, bears northwesterly and southeasterly, at observed latitude 38°42'47.304" North, longitude 114°58'25.818" West;
133. thence northwesterly, a distance of approximately 1.1 miles, on a line parallel with and 100 feet northeasterly of the northeasterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southeasterly of the southeasterly edge of aforementioned jeep trail, described in course No. 126, bears northeasterly and southwesterly, at observed latitude 38°43'29.466" North, longitude 114°59'10.069" West;
134. thence northeasterly turning southeasterly, a distance of approximately 3.1 miles, on a line parallel with and 100 feet southeasterly and southwesterly of the southeasterly and southwesterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°44'43.923" North, longitude 114°56'45.660" West;
135. thence N. 54°49'00" E., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northeasterly of the northeasterly edge of the jeep trail, at observed latitude 38°44'45.119" North, longitude 114°56'43.495" West;
136. thence northwesterly turning southwesterly, a distance of approximately 3.0 miles, on a line parallel with and 100 feet northeasterly and northwesterly of the northeasterly and northwesterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northwesterly of the northwesterly edge of a second jeep trail, bears northeasterly and southwesterly, at observed latitude 38°43'35.939" North, longitude 114°59'09.094" West;

137. thence southwesterly turning northwesterly and southwesterly, a distance of approximately 1.1 miles, on a line parallel with and 100 feet northwesterly, northeasterly and northwesterly of the northwesterly, northeasterly and northwesterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet easterly of the easterly edge of an unimproved road, bears northerly and southerly, at observed latitude 38°43'28.150" North, longitude 115°00'07.131" West;
138. thence northerly, a distance of approximately 0.15 miles, on a line parallel with and 100 feet easterly of the easterly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southeasterly of the southeasterly edge of a jeep trail, bears northeasterly and southwesterly, at observed latitude 38°43'35.778" North, longitude 115°00'09.817" West;
139. thence northeasterly a distance of approximately 400 feet, on a line parallel with and 100 feet southeasterly of the southeasterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°43'39.216" North, longitude 115°00'08.111" West;
140. thence northerly, a distance of approximately 0.3 miles, to a point, at approximate latitude 38°43'56.15" North, longitude 115°00'09.08" West;
141. thence northeasterly, a distance of approximately 1.15 miles, to a point, at approximate latitude 38°44'53.31" North, longitude 114°59'48.28" West;
142. thence southeasterly, a distance of approximately 0.15 miles, to a point, at approximate latitude 38°44'50.33" North, longitude 114°59'38.90" West;
143. thence easterly, a distance of approximately 0.15 mile, to a point, at approximate latitude 38°44'51.94" North, longitude 114°59'30.63" West
144. thence northerly, a distance of approximately 0.7 miles, to a spur, slopes westerly, at approximate latitude 38°45'30" North, longitude 114°59'31" West;
145. thence northeasterly, a distance of approximately 0.65 miles, to a point, at approximate latitude 38°45'56.32" North, longitude 114°59'05.13" West;

146. thence northerly, a distance of approximately 0.75 miles, to intersection with a line parallel with and 100 feet southerly of the southerly edge of a jeep trail, bears easterly and westerly, at approximate latitude 38°46'33.0" North, longitude 114°58'51.4" West;
147. thence easterly, a distance of approximately 350 feet, on a line parallel with and 100 feet southerly of the southerly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°46'33.552" North, longitude 114°58'46.970" West;
148. thence N. 9°37'00" E., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 20 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northerly of the northerly edge of the jeep trail, at observed latitude 38°46'35.598" North, longitude 114°58'46.527" West;
149. thence westerly, a distance of approximately 450 feet, on a line parallel with and 100 feet northerly of the northerly edge of the jeep trail to a point on said line, at approximate latitude 38°46'35.1" North, longitude 114°58'52.2" West;
150. thence northwesterly, a distance of approximately 0.35 miles, to a spur, slopes southwesterly at approximate latitude 38°46'52" North, longitude 114°59'03" West;
151. thence northerly, a distance of approximately 1.3 miles, to a spur, slopes northwesterly, at approximate latitude 38°47'58" North, longitude 114°58'45" West;
152. thence northeasterly, a distance of approximately 0.65 miles, to intersection with a line parallel with and 100 feet westerly of the westerly edge of a jeep trail, bears northerly and southerly, at approximate latitude 38°48'24.5" North, longitude 114°58'19.5" West;
153. thence southerly, a distance of approximately 0.1 mile, on a line parallel with and 100 feet westerly of the westerly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°48'18.587" North, longitude 114°58'18.136" West;
154. thence N. 82°33'30" E., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at

- intersection with a line parallel with and 100 feet easterly of the easterly edge of the jeep trail, at observed latitude 38°48'18.856" North, longitude 114°58'15.506" West;
155. thence northerly, a distance of approximately 0.15 miles, on a line parallel with and 100 feet easterly of the easterly edge of the jeep trail to intersection with a line parallel with and 100 feet southerly of the southerly edge of a second jeep trail, bears easterly and westerly, at approximate latitude 38°48'27.1" North, longitude 114°58'18.3" West;
156. thence easterly, a distance of approximately 0.3 miles, on a line parallel with and 100 feet southerly of the southerly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southerly of the southerly edge of a second jeep trail, bears easterly and westerly, at observed latitude 38°48'23.784" North, longitude 114°57'59.240" West;
157. thence N. 24°23'50" E., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northerly of the northerly edge of the jeep trail, at observed latitude 38°48'25.674" North, longitude 114°57'58.144" West;
158. thence easterly, a distance of approximately 50 feet, to the base of left bank of Schoolhouse Canyon, course northwesterly, at approximate latitude 38°48'26" North, longitude 114°57'57" West;
159. thence southeasterly turning easterly, northeasterly, and southeasterly, a distance of approximately 1.1 miles, with the meanders of the base of left bank of Schoolhouse Canyon wash, course northwesterly, westerly, and southwesterly, to a point on said left bank, at approximate latitude 38°48'30" North, longitude 114°56'56" West;
160. thence northeasterly, a distance of approximately 0.3 miles, to a point, at approximate latitude 38°48'44.17" North, longitude 114°56'47.92" West;
161. thence northeasterly, a distance of approximately 0.4 miles, to the thread of a wash, course westerly, at approximate latitude 38°48'58" North, longitude 114°56'31" West;
162. thence northwesterly, a distance of approximately 0.4 miles, to a spur, slopes southwesterly, at approximate latitude 38°49'14" North, longitude 114°56'45" West;
163. thence northeasterly, a distance of approximately 0.9 miles, to a spur, slopes southwesterly, at approximate latitude 38°50'00" North, longitude 114°56'31" West;

164. thence northeasterly, a distance of approximately 0.85 miles, to the right bank of a wash, course westerly, at approximate latitude 38°50'44" North, longitude 114°56'20" West;
165. thence westerly turning southwesterly, a distance of approximately 0.6 miles, with the meanders of the right bank of the wash, to a point on said right bank, at approximate latitude 38°50'34" North, longitude 114°56'56" West;
166. thence northerly, a distance of approximately 0.6 miles, to a point, at approximate latitude 38°51'06.34" North, longitude 114°56'56.70" West;
167. thence northwesterly, a distance of approximately 0.2 miles, to a spur, slopes southwesterly, at approximate latitude 38°51'10" North, longitude 114°57'10" West;
168. thence northerly, a distance of approximately 0.35 miles, to a spur, slopes northwesterly, at approximate latitude 38°51'28" North, longitude 114°57'08" West;
169. thence northeasterly, a distance of approximately 0.45 miles, to a point, at approximate latitude 38°51'38.57" North, longitude 114°56'41.22" West;
170. thence northwesterly, a distance of approximately 0.5 miles, to a point, at approximate latitude 38°51'47.00" North, longitude 114°57'14.50" West;
171. thence northeasterly, a distance of approximately 0.95 mile, to a point, at approximate latitude 38°52'34.3" North, longitude 114°56'54.7" West;
172. thence easterly, a distance of approximately 0.3 miles, to a point, at approximate latitude 38°52'36.95" North, longitude 114°56'35.65" West;
173. thence northwesterly, a distance of approximately 0.4 miles, to a point, at approximate latitude 38°52'47.15" North, longitude 114°56'59.70" West;
174. thence northerly, a distance of approximately 1.4 miles, to the base of left bank of a wash, course northwesterly, at approximate latitude 38°54'01" North, longitude 114°57'01" West;
175. thence southeasterly turning northeasterly and southeasterly, a distance of approximately 0.4 miles, with the meanders of the base of left bank of the wash, course northwesterly, to a point on said left bank of wash, at approximate latitude 38°54'00" North, longitude 114°56'38" West;
176. thence northeasterly, a distance of approximately 300 feet, to a point at latitude 38°54'01.94" North, longitude 114°56'35.66" West;

177. thence southeasterly, a distance of approximately 600 feet, to a point at latitude 38°53'58.72" North, longitude 114°56'29.18" West;
178. thence northeasterly, a distance of approximately 1500 feet, to a point at latitude 38°54'12.06" North, longitude 114°56'21.46" West;
179. thence easterly, a distance of approximately 300 feet, to intersection with a line parallel with and 100 feet southerly of the southerly edge of a jeep trail, extending easterly, at approximate latitude 38°54'11.9" North, longitude 114°56'17.5" West;
180. thence easterly, a distance of approximately 0.2 miles, on a line parallel with and 100 feet southerly of the southerly edge of the jeep trail to intersection with a line parallel with and 100 feet westerly of the westerly edge of a second jeep trail, bears northerly and southerly, at approximate latitude 38°54'10.6" North, longitude 114°56'06.4" West;
181. thence southerly, turning southeasterly, a distance of approximately 0.65 miles, on a line parallel with and 100 feet westerly of the westerly and southwesterly edge of the jeep trail to intersection with line 4-1 of Mineral Survey No. 3868, Carbonate mine lode;
182. thence southwesterly approximately 720 feet distance on line 4-1 of Mineral Survey No. 3868, Carbonate Mine lode, to corner No. 1 of said lode;
183. thence southeasterly approximately 140 feet on line 1-2 of Mineral Survey No. 3868, Carbonate Mine lode, to intersection with a line 100 feet northwesterly of the northwesterly edge of a trail road;
184. thence southwesterly turning southeasterly, a distance of approximately 0.25 miles, on a line parallel with and 100 feet northwesterly and southwesterly of the northwesterly and southwesterly edge of the trail road to a brass tablet, 3 1/4 inch diameter, 3 1/2 inch stem, cemented in a drill hole in solid rock, with top marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°53'27.576" North, longitude 114°56'05.668" West;
185. thence N. 16°56'50" E., a distance of 228.0 feet, to a brass tablet, 3 1/4 inch diameter, 3 1/2 inch stem, cemented in a drill hole of solid rock, with top marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°53'29.731" North, longitude 114°56'04.828" West;
186. thence northerly turning westerly, a distance of approximately 700 feet, on a line parallel with and 100 feet easterly and northerly of the easterly and northerly edge of the jeep trail to intersection with line 2-3 of Mineral Survey No. 3868, Carbonate Mine lode;

187. thence northerly, a distance of approximately 1120 feet, on line 2-3 Mineral Survey No. 3868, Carbonate Mine lode, to corner No. 3 of said lode;
188. thence northwesterly a distance of approximately 600 feet on line 3-4 of Mineral Survey No. 3868, Carbonate Mine lode, to corner No. 4 of said lode;
189. thence southwesterly a distance of approximately 560 feet on line 4-1 of Mineral Survey No. 3868, Carbonate Mine lode, to intersection with a line parallel with and 100 feet northeasterly of the northeasterly edge of the jeep road;
190. thence northerly a distance of approximately 0.6 miles on a line parallel with and 100 feet easterly of the easterly edge of the jeep trail to intersection with a line parallel with and 100 feet southerly of the southerly edge of aforementioned jeep trail, described in course No. 180, bears easterly and westerly, at approximate latitude  $38^{\circ}54'10.0''$  North, longitude  $114^{\circ}56'03.9''$  West;
191. thence southeasterly turning northeasterly, a distance of approximately 1.5 miles, on a line parallel with and 100 feet southwesterly and southeasterly of the southwesterly and southeasterly edge of the jeep trail to intersection with a line parallel with and 100 feet westerly of the westerly edge of a second jeep trail, bears northerly and southerly, at approximate latitude  $38^{\circ}54'13.8''$  North, longitude  $114^{\circ}55'01.2''$  West;
192. thence southerly, a distance of approximately 0.5 miles, on a line parallel with and 100 feet westerly of the westerly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude  $38^{\circ}53'52.973''$  North, longitude  $114^{\circ}55'06.648''$  West;
193. thence S.  $84^{\circ}25'50''$  E., a distance of 219.6 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet easterly of the easterly edge of the jeep trail, at observed latitude  $38^{\circ}53'52.763''$  North, longitude  $114^{\circ}55'03.883''$  West;
194. thence northerly, a distance of approximately 0.5 miles, on a line parallel with and 100 feet easterly of the easterly edge of the jeep trail to intersection with a line parallel with and 100 feet northeasterly of the northeasterly edge of aforementioned jeep trail, described in course No. 191, bears northwesterly and westerly, at approximate latitude  $38^{\circ}54'15.5''$  North, longitude  $114^{\circ}54'59.3''$  West;
195. thence northerly, a distance of approximately 0.2 miles, on a line parallel with and 100 feet easterly of the easterly edge of

- jeep trail to intersection with a line parallel with and 100 feet southwesterly of the southwesterly edge of an unimproved road, bears northwesterly and southeasterly, at approximate latitude 38°54'24.9" North, longitude 114°55'05.4" West;
196. thence southeasterly turning easterly and southerly, a distance of approximately 1.9 miles, on a line parallel with and 100 feet southwesterly, southerly, and westerly of the southwesterly, southerly, and westerly edge of the unimproved road to a point on said line, at approximate latitude 38°53'50.7" North, longitude 114°54'01.1" West;
  197. thence southerly, a distance of approximately 0.1 mile, to a point, at approximate latitude 38°53'44.73" North, longitude 114°54'01.33" West;
  198. thence southwesterly a distance of approximately 0.15 mile, to intersection with a line parallel with and 100 feet westerly of the westerly edge of a jeep trail, extending southerly, at approximate latitude 38°53'39.4" North, longitude 114°54'07.0" West;
  199. thence southerly turning southeasterly, a distance of approximately 1.9 miles, on a line parallel with and 100 feet westerly and southwesterly of the westerly and southwesterly edge of the jeep trail to intersection with a line parallel with and 100 feet westerly of the westerly edge of an unimproved road, bears northerly and southerly, at approximate latitude 38°52'06.6" North, longitude 114°53'52.1" West;
  200. thence southerly, a distance of approximately 1.3 miles, on a line parallel with and 100 feet westerly of the westerly edge of the unimproved road to intersection with a line parallel with and 100 feet northwesterly of the northwesterly edge of a jeep trail, bears southwesterly, at approximate latitude 38°51'01.1" North, longitude 114°53'42.3" West;
  201. thence southwesterly, a distance of approximately 0.35 miles, on a line parallel with and 100 feet northwesterly of the northwesterly edge of the jeep trail to intersection with a line parallel with and 100 feet northwesterly of the northwesterly edge of a second jeep trail, bears southwesterly, at approximate latitude 38°50'48.4" North, longitude 114°53'59.5" West;
  202. thence southwesterly, a distance of approximately 0.1 mile, on a line parallel with and 100 feet northwesterly of the northwesterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 20 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, on said line, at observed latitude 38°50'45.467" North, longitude 114°54'04.859" West;
  203. thence S. 68°23'20" E., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap



- marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southeasterly of the southeasterly edge of jeep trail, at observed latitude 38°50'44.702" North, longitude 114°54'02.392" West;
204. thence northeasterly, a distance of approximately 200 feet, on a line parallel with and 100 feet southeasterly of the southeasterly edge of jeep trail to intersection with a line parallel with and 100 feet westerly of the westerly edge of aforementioned jeep trail, described in course No. 201, bears northerly and southerly, at approximate latitude 38°50'45.9" North, longitude 114°54'00.8" West;
205. thence southerly, a distance of approximately 0.1 mile, on a line parallel with and 100 feet westerly of the westerly edge of the jeep trail to a point on said line, at approximate latitude 38°50'41.1" North, longitude 114°53'59.4" West;
206. thence southeasterly, a distance of approximately 0.2 miles, to a point, at approximate latitude 38°50'35.68" North, longitude 114°53'50.02" West;
207. thence southerly, a distance of approximately 0.85 miles, to intersection with a line parallel with and 100 feet northerly of the northerly edge of a jeep trail, bears easterly and westerly, at approximate latitude 38°49'52.9" North, longitude 114°53'39.5" West;
208. thence westerly, a distance of approximately 0.15 miles, on a line parallel with and 100 feet northerly of the northerly edge of the jeep trail to a to a brass tablet, 3 1/4 inch diameter, 3 1/2 inch stem, cemented in a drill hole of solid rock, with top marked SERW N83917 2013 and a line indicating the direction of the boundary, at observed latitude 38°49'51.257" North, longitude 114°53'50.297" West;
209. thence S. 49°14'50" E., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked SERW N83917 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southerly of the southerly edge of the jeep trail, at observed latitude 38°49'49.902" North, longitude 114°53'48.287" West;
210. thence easterly, a distance of approximately 0.15 miles, on a line parallel with and 100 feet southerly of the southerly edge of the jeep trail to a point on said line, at approximate latitude 38°49'50.9" North, longitude 114°53'38.4" West;
211. thence southerly, a distance of approximately 0.75 miles, to a point, at approximate latitude 38°49'12.54" North, longitude 114°53'36.05" West;

212. thence southwesterly, a distance of approximately 0.4 miles, to the base of left bank of a wash, course easterly, at approximate latitude 38°48'53" North, longitude 114°53'44" West;
213. thence westerly turning northwesterly, a distance of approximately 1.0 mile, with the meanders of the base of the left bank of the wash, course southeasterly and easterly, to intersection with a draw, drains northeasterly, at approximate latitude 38°49'05" North, longitude 114°54'36" West;
214. thence southwesterly, a distance of approximately 0.25 miles, along the center of draw, course northeasterly, to a point in said draw, at approximate latitude 38°49'02" North, longitude 114°54'52" West;
215. thence southwesterly, a distance of approximately 0.3 miles, to the center one-quarter section corner of section 17, T. 11 N., R. 63 E., and the Point of Beginning.

The area contained within the bounds of this description is 67,390 acres, more or less.

END OF DESCRIPTION

The acreage noted in the description is based on a GIS polygon projected onto the 1983 North American Datum Universal Transverse Mercator projection, zone 11.

The direction of each line is with reference to the true meridian.

The geographic positions noted as "approximate" latitude and longitude are referenced to the North American Datum of 1983 and were digitized from the following editions of the United States Geologic Survey 7.5 minute quadrangle maps. The elevations noted are referenced to sea level and are taken from these same maps:

1. Shingle Pass, Nev., 1969
2. Moorman Spring SE, Nev., 1969
3. Hardy Springs, Nev., 1969
4. Haggerty Spring, Nev., 1969
5. Brown Knoll, Nev., 1977
6. Sawmill Canyon, Nev., 1977

The geographic positions noted as "observed" latitude and longitude are referenced to the North American Datum of 1983. Observed positions were determined in 2012 and 2013 utilizing Global Positioning System (GPS), Real Time Kinematic (RTK) observations. All RTK observations were carried forward from local control established using GPS static observations processed with the National Geodetic Survey Online Positioning User Service (OPUS) referenced to the following Continuously Operating Reference Stations (CORS): "AST1 AUSTIN 1 CORS ARP", "EGAN EGAN BRGN NV1996 CORS ARP", "ECHO ECHO BRGN NV1996 CORS ARP", "GOSH GOSH BRGN UT1996 CORS ARP" "NVPI PIOCHE CORS ARP", "LKN1 ELKO CORS ARP", "P113 KNOLLSWEST UT2006 CORS ARP", and "SPRING VALLEY CORS ARP", and carried forward by Real Time Kinematic (RTK) observations, in 2012 and 2013.

WILDERNESS AREA  
**South Egan Range Wilderness**  
Bureau of Land Management

I hereby certify that the maps and legal boundary description herewith represents the boundary of the South Egan Range Wilderness within the jurisdiction of the Ely District Office, Nevada, Bureau of Land Management.

Signed: \_\_\_\_\_ Date: \_\_\_\_\_  
Chief, Branch of Geographic Sciences  
Bureau of Land Management, Nevada

I hereby certify and accept the maps and legal boundary description of South Egan Range Wilderness within the Ely District Office, Nevada, Bureau of Land Management, as entered into the Wilderness Area System under the "White Pine County Conservation, Recreation, and Development Act of 2006", Public Law No. 109-432, dated December 20, 2006.

Signed: \_\_\_\_\_ Date: \_\_\_\_\_  
State Director, Nevada  
Bureau of Land Management